Best Available Copy



(22) International Filing Date:





INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:
A61L 9/12

(11) International Publication Number: WO 97/37693

(43) International Publication Date: 16 October 1997 (16.10.97)

(21) International Application Number: PCT/BR97/00012 (81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR,

BR

9 April 1997 (09.04.97)

(30) Priority Data:
PI 9601523-3
9 April 1996 (09.04.96)

(71)(72) Applicant and Inventor: ARAÚJO DE SOUSA, Maurício [BR/BR]; Avenida Professor Fonseca Rodrigues, 520, Pinheiros, São Paulo, SP (BR).

(74) Agent: DANNEMANN, SIEMSEN, BIGLER & IPANEMA MOREIRA; Caixa Postal 2142, 20001-970-Rio de Janeiro, RJ (BR).


(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published

With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: A METHOD AND APPARATUS FOR SCENTING ROOMS IN A PROGRAMMED MANNER



(57) Abstract

The present invention refers to a method and apparatus for scenting rooms in a programmed manner, such as TV rooms, video rooms, CD-ROM rooms, movies theaters, theaters and auditoria for shows. The method of the invention comprises a sequence of fragrances which are exhaled in the room in tune to and in synchronization with an event that is presented, said event being a movie, a stage play, an artistic show and/or a musical, and said sequence of fragrances to be exhaled into the room being produced by means of a carrier of scenting substances or compositions and being accomplished timed with the beginning of the event and with the actions, places and movements which are presented along the event. The invention also refers to an apparatus for carrying out the referred method.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TŘ	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
ВЈ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
СМ	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

- 1 -

Specification of the Patent of Invention for: A METHOD AND AP-PARATUS FOR SCENTING ROOMS IN A PROGRAMMED MANNER

FIELD OF THE INVENTION

The present invention refers to a method and appara-5 tus for scenting rooms in a programmed manner.

More specifically, it relates to a method and apparatus for scenting, in a programmed way closed spaces or environments, such as TV rooms, video rooms, CD-ROM rooms, movie theaters, playhouse auditoria and the like.

Even more specifically, the present invention refers to a method and apparatus designed for scenting rooms, associated and synchronized with a video tape, a motion picture, a CD-ROM disk, a theatrical play, or even with the plot of a musical.

15 BACKGROUND OF THE INVENTION

Methods, apparatus and devices for scenting rooms are much diversified and widely commercialized at present. Thus, for instance, there are aerosol containers for scenting environments, devices for holding sticks or tablets intended to scent bathrooms, apparatus designed to be connected to water pipes for flushing toilets and urinals. All these devices for dispensing scents into the room provide a wide range of

fragrances such as lavender, wild flowers, tutti-frutti, green apple and others.

In addition to these state of the art elements, some documents disclose methods and dispensing devices for 5 scenting rooms, including the release of different fragrances in a pre-determined sequence. An example of such documents is US Patent 5,069,876, published on December 3, 1991, which discloses a display unit for selling products which basically includes an audio unit associated to a scent-dispensing device. 10 Such a unit can also be associated to a photograph display unit. The functioning of such units can be associated in a pre-selected manner. Patent application FR 2,553,666, published on April 26, 1985, teaches an individual, portable vice for dispensing perfume fragrances in connection with the 15 presentation of pictures and sound. US Patent 4,603,030, published on July 29, 1986, relates to a system for dispensing a of different fragrances in response to a variety determined and programmed sequence of fragrances, with a determined duration. Patent application EP 0 20 published on December 14, 1988, discloses a method and apparatus for dispensing different fragrances into an environment different storage containers, in accordance with a predetermined timing controlled by a timer. US Patent 5,342,584, published on August 30, 1994, disclosed a battery-driven de-25 vice provided with a cartridge impregnated with a dispensing at least two different scents. 5,273,690, published on December 28, 1993, discloses a device employing compressed air together with a carrier charged with a variety of fragrances placed in individual cells. 30 cells have breakable walls for releasing the scent into the current of compressed air. US Patent 5,178,327, published January 12, 1993, discloses an apparatus for scenting reims including a range of different aromas that are means of a rotating cylinder or disk. UK Patent application 2 589, published on December 16, 1992, discloses a device for scenting rooms having multiple compartments for different aromas. Patent application UK 2 249 958, published on May 27, 1992, discloses a device for generating aromas, which are selected by a user from a distance.

However, it has not yet been proposed an effective method for scenting rooms that works timed and tuned to the event during its performance. The event in question is, for instance, the presentation of a movie on television, a video cassette tape, a CD-ROM disk, a motion picture in a movie theater, a stage play or an artistic show and/or a musical.

OBJECTIVES OF THE INVENTION

Thus, a first objective of the invention is to provide a method for scenting rooms that is tuned to and synchrologous nized with an event at the time of its performance.

Another object of the present invention is to provide a method for scenting rooms or environments, preferably closed spaces such as rooms for television, video and CD-ROM, movie houses, theaters and playhouse auditoria, the scenting being carried out in tune and synchronization with the motion picture or event while the latter is being presented.

A further objective of the present invention is to provide an apparatus for carrying out the method of the invention.

20 SUMMARIZED DESCRIPTION OF THE INVENTION

According to one aspect of the present invention, a method is provided by which a room is scented with several different fragrances, in a sequence following specifically the plot of an event, such as a motion picture, a play or a show, the fragrance spreading throughout the room where the event is taking place, so as to provide the audience with the sensation of experiencing that moment or fact together with the protagonist(s) of the event.

According to a second aspect of the present in-30 vention, an apparatus is provided for carrying out the aforementioned method, said apparatus including a carrier having several individual compartments containing various fragrances to be dispensed into the room in which the event takes place.

BRIEF DESCRIPTION OF THE DRAWINGS

The present invention will be better understood with reference to the accompanying drawings, which do not limit the scope of the invention described here and are to be seen only 5 as an illustration of an embodiment of the invention.

- Figure 1 is a perspective view of the apparatus of the invention;
- Figure 2 is a cross-section view of the apparatus of the invention;
- Figure 3 is a top view of the carrier element for the scenting compartments; and
 - Figure 4 is a top view of the movie theater equiped with apparatus in accordance with the present invention.

15 DETAILED DESCRIPTION OF THE INVENTION

According to the present invention, a method is provided for scenting rooms or environments, preferably closed by which a sequence of fragrances are dispersed into said environment, tuned to and synchronized with an event that 20 is being presented, said event being a motion picture, a play artistic show and/or a musical. The sequence of fragrances dispersed into the room will be effected by means of a carrier of scenting substances or compositions, which will be operated tuned to the beginning of the event and in synchroni-25 zation with the actions, places and movements performed during feature will p vide the audience with a the event. This feeling of greater reality during the various scenes viewed, since the spectators will be able to smell every scent characteristic of the location where the scene takes place.

Scenting substances and compositions to be used in the method of the present invention should be either produced or formulated in accordance with the standards established for this type of product which will be inhaled by people. Thus,

- --

....

they must be non-toxic, anti-allergic, non-irritant and inert as possible with respect to the environment. The possible number of formulations to be used in the method of present invention can be unlimited, however, it will be appre-5 ciated that such formulations should include at least those which imitate all the most frequent odours perceived daily our environment, such as the smell of rain, wet soil, garden flowers, dust, forest, etc. However, fetid odours, should be avoided or at least attenuated. Such odoriferous 10 substances or compositions may be powdered formulations, granules or liquids, and so they must be adequately packed in accordance with their nature. The packages should be individual and should contain defined amounts of scenting substances or compositions, so that they can be easily broken open in the 15 established sequence to supply the scent during a preestablished period of time.

Figures 1, 2 and 3 show an example of an apparatus for carrying out the method of the present invention, which comprises a generally rectangular housing (1), which has several small bores (2) at its front portion, longitudinally disposed along its length and several small bores (7) at its back portion. Above said bores (2) there is a movable receptable (3), provided with a circular recess (4), which has a hollowed-out portion (5). Said movable receptable (3) is provided with side guides (6), so that it can slide upon being opened and closed.

The housing (1) encloses lower (8) and upper (12) compartments, divided by an inclined plate (9) which extends from the back portion (9') of said housing (1) to an interme-30 diate portion (9"), forming a channel in said compartment (8) and a housing for a mechanism (13). This compartment (8) has in its back portion a space where a small fan (11) is installed facing a receptable (10) located at the front portion of said compartment (8) of the housing (1).

Said mechanism (13) is of the type which fits into the central bore (14) of a disk (15) carrying small capsules of fragrances (16) and is complemented by a a device that moves in the vertical direction (17), provided with a pointed element (18) for perforating said capsules (16) containing

fragrances. For this purpose, said capsules (16) have to be made from a material suitable to be punctured by said pointed element (18).

above-described apparatus is electronic 5 works in response to signals received from the video tape, CD-ROM disk or a pre-established software, as for instance, from a microcomputer. Thus, the disk (15) containing a given sequence of capsules (16) of fragrances, pre-established the event, movie or show, is adequately inserted 10 into the receptable (3), which is then closed. At the ning of the event the apparatus is turnen on and then, in synchronism with the sequence of scenes presented and when a determined fragrance is required, the mechanism (13) turns the disk (13), positioning the respective capsule (16) of the re-15 quired fragrance under the device (17), which, with a vertical movement downwards and upwards, in this order, perforates said capsule (16), thus tearing it open with the pointed element (18). At this moment the scenting substance or composition contained in the capsule (16) falls onto the receptacle (10) 20 and the small fan (11) is immediately driven and through the small back bores (7), thus creating a current of air in the compartment (8) under the plate (9) and exhaling the respective fragrance through the small front bores (2). In this way, the fragrance is transferred to the room where the 25 event is taking place and spreads out therein creating therein an atmosphere of reality for the spectators. This procedure is repeated by the apparatus, which will select the capsule to be opened at the next scene requiring a specific fragrance.

The duration of the fragrance can be controlled, for 30 instance, by the chemical formulation itself, previously produced for the respective event. The duration of the fragrance can also be controlled by means of odor-inhibiting agents, such as chemical inhibitors, which can be foreseen in the set of capsules (16). Thus, each event will have its disk 35 with the corresponding sequence of capsules of fragrance. However, this does not exclude a random supply of fragrances for a given event.

The driving of the apparatus as a whole, that is to say, the mechanism (13), the puncturing device (17) and the

fan (11), is effected by electronic signals, inaudible to the spectators. In the same way, the means which actuate these elements are such as not to produce any sounds or noises strange to the ear during the performance of the event.

The method and apparatus of the present invention can be produced for most diverse situations. Thus, for instance, they can be designed for existing movies, or else program them for synchronization with the sequence of the scenes. Old movies can be reedited with signals for synchronism with the inventive apparatus, or else tapes incorporating signals for synchronism with the apparatus can be made.

The disks produced can be either disposable or returnable to be re-edited. This edition is obviously accomplished by refilling them with respective fragrance capsules referring specifically to the corresponding motion picture.

The apparatus of the present invention is usually small and can be installed, for instance, besides a television set, a video cassete recorder or a microcomputer with CD-ROM. As can be seen from figure 4, several units of the apparatus 20 (1) can be conveniently distributed in large rooms such as movie theaters and, in this case, they will be driven at the same time and will have the same disks. The apparatus of the present invention can even be produced incorporated in television sets, as is the case with the current video cassette recorders.

CLAIMS

- 1- A method for scenting rooms in a programmed manner, preferably closed rooms, characterized by comprising a sequence of fragrances which are exhaled in said room, in tune 5 to and synchronization with an event that is being presented, said event being a motion picture, a play, an artistic show and/or a musical, and said sequence of fragrances to be exhaled in the environment being produced by means of a carrier of scenting substances or compositions and being carried out in tune with the beginning of the event and in synchronization with the actions, places and movements that are presented during said event.
- 2- A method in accordance with claim 1, characterized in that the fragrances are exhaled in sequence specif-15 ically following the plot of an event such as a motion picture, a play, an artistic show and/or a musical.
- 3- A method in accordance with claim 1, characterized in that the scenting substances and compositions used in the method are produced or formulated in accordance with the 20 standards established for this type of product, which will be inhaled by people, and they must be non-toxic, anti-allergic, non-irritant and as inert as possible with respect to the environment.
- 4- A method in accordance with claim 1, character25 ized in that the scenting substances and compositions are powdered formulations, granules or liquids, and they must be
 adequately packed in accordance with their nature.
- 5- A method in accordance with claim 4, characterized in that the packages are individual and contain defined 30 amounts of scenting substance or composition.
 - 6- A method in accordance with claim 4 or 5, characterized in that said packages are tearable by mechanical action.
- 7- A method in accordance with anyone of the preced-35 ing claims, characterized in that said environments are closed rooms such as TV rooms, CD-ROM rooms, movie theaters and


auditoria for shows.

8- An apparatus for carrying out the method defined in anyone of the preceding claims, characterized by comprising a housing (1), which has at its front portion a plurality of 5 small bores (2), disposed along its whole extension and a plurality of small bores (7) at its back portion, a movable receptacle (3) being disposed above said bores (2), with a circular recess (4), which has a hollowed out portion (5), said movable receptable (3) being provided with 10 guides (6) so that it slides when it is opened and closed, and said housing (1) having inside it a lower (8) and an upper (12) compartment, which are divided by an inclined plate (9) extending from the back portion (9') of said housing (1) to an intermediate portion (9"), forming a channel in said compart-15 ment (8) and a housing for a mechanism (13) of the type which fits into the central bore (14) of a disk (15) carrying small capsules (16) of fragrances, said compartment (8) having its back portion a space where a small fan (11) is installed facing a receptacle (10) located at the front portion of 20 compartment (8) of the housing (1).

9- An apparatus in accordance with claim 8, characterized in that said mechanism (13) is complemented by a device that moves in the vertical direction (17), provided with a pointed element (18) for puncturing said capsules (16) of fragrances.

10- An apparatus in accordance with claim 8, characterized in that said disk (15) is chargeable with capsules (16).

11- An apparatus in accordance with anyone of claims 30 8 to 10, characterized in that said rooms are closed spaces such as TV room, video room, CD-ROM roms, movie theaters and auditoria for shows.






FIG. 4

	INTERNATIONAL SEARCH	REPORT	PCT/BR 97/00012	
A. CLASS IPC 6	SIFICATION OF SUBJECT MATTER A61L9/12		······································	
	to International Patent Classification (IPC) or to both national classification	ssification and IPC		
1	S SEARCHED			
IPC 6	documentation searched (classification system followed by classific A61L storm of the color of the extent the color of the color of the extent the		included in the fields searched	
			minuted in the north stag that	
Electronic	data base consulted during the international search (name of data b	oase and, where pract	cal. search terms used)	
C. DOCUM	MENTS CONSIDERED TO BE RELEVANT			
Category *	Citation of document, with indication, where appropriate, of the	relevant passages	Relevant to claim No.	
х	US 4 603 030 A (MCCARTHY ROBERT 1986 see claims; figures	E) 29 July	1-7	
x	EP 0 508 939 A (GOMES DOS SANTOS 14 October 1992 see the whole document	1-7		
X	DATABASE WPI Section PQ, Week 8429 Derwent Publications Ltd., Londo Class P34, AN 84-177169 XP002037302 & AU 21442 83 A (WALLACE R W) , 1984 see abstract	•	1-7	
		-/		
X Furti	ner documents are listed in the continuation of box C.	X Patent fami	ly members are listed in annex.	
'A' docume consider filing d'L' docume which i citation docume other n'P' docume	int which may throw doubts on priority claim(s) or is cited to establish the publication date of another is or other special reason (as specified) introfering to an oral disclosure, use, exhibition or nears on the published prior to the international filing date but	or priority date cited to underst invention 'X' document of pacannot be consinvolve an inve 'Y' document of pacannot be considocument is coment is considocument in the art.	published after the international filing date and not in conflict with the application but and the principle or theory underlying the rucular relevance; the claimed invention dered novel or cannot be considered to nove step when the document is taken alone rucular relevance; the claimed invention dered to involve an inventive step when the minimal with one or more other such documental with one or more other such documental polynomial of the property of the	
Date of the actual completion of the international search Date of mailing of the international search Date of mailing of the international search report				

1

European Patent Office, P.B. 5818 Patentiaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Form PCT/ISA/210 (second sheet) (July 1992)

Name and mailing address of the ISA

8 August 1997

26.08.97

ESPINOSA, M

Authorized officer

		PC1) - 97/00012
C.(Continu	IDON) DOCUMENTS CONSIDERED TO BE RELEVANT	
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	PATENT ABSTRACTS OF JAPAN vol. 017, no. 471 (P-1601), 26 August 1993 & JP 05 109253 A (TOSHIBA CORP), 30 April 1993, see abstract	1-4
X	PATENT ABSTRACTS OF JAPAN vol. 010, no. 197 (E-418), 10 July 1986 & JP 61 041229 A (TAMAPATSUKU KK), 27 February 1986, see abstract	1-3
X	PATENT ABSTRACTS OF JAPAN vol. 016, no. 257 (C-0949), 11 June 1992 & JP 04 058956 A (MATSUSHITA ELECTRIC IND CO LTD), 25 February 1992, see abstract	1-3
P,X	DE 195 13 293 A (T O P TECHNICAL OFFICE FOR COM) 10 October 1996 see claims; figures	1-5
A	US 5 069 876 A (OSHINSKY CANDACE) 3 December 1991 see claims; figures	1-11
Α	WO 94 09493 A (TEBBE GEROLD) 28 April 1994 see claims	1-11
A	FR 2 553 666 A (CORREIA GABRIEL) 26 April 1985 cited in the application see claims	1-11
A	DE 40 33 076 A (GRUBER BRUNO) 23 April 1992	
		·
		·

1

INTERIORAL SEARCH REPORT

CT/BR 97/00012

			T10175K 3770001E		
Patent document cited in search report		Publication date	Patent family member(s)	Publication date	
US 4603030	Α	29-07-86	NONE		
EP 0508939	Α	14-10-92	NONE		
DE 19513293	Α	10-10-96	NONE		
US 5069876	Α	03-12-91	NONE		
WO 9409493	A	28-04-94	DE 4234926 A DE 4305141 A DE 4313119 A AU 5334494 A DE 59306470 D EP 0664919 A	11-05-94 25-08-94 27-10-94 09-05-94 19-06-97 02-08-95	
FR 2553666	Α	26-04-85	NONE		
DE 4033076	Α	23-04-92	NONE	*****	

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE-IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images inc	elude but are	not limited	o the items c	hecked:
BLACK BORDERS				
TIMAGE CUT OFF AT	ГОР, ВОТТО	M OR SIDES		
FADED TEXT OR DRA	AWING			
BLURRED OR ILLEG	BLE TEXT O	R DRAWING		
SKEWED/SLANTED-II	MAGES ==			
☐ COLOR OR BLACK A	ND WHITE P	HOTOGRAPHS	The state of the s	7 September 201
☐ GRAY SCALE DOCUM	MENTS			and the second s
☐ LINES OR MARKS ON	ORIGINAL I	DOCUMENT -		
☐ REFERENCE(S) OR E	XHIBĪT(S) SU	BMITTED ARE	POOR QUALI	IY
OTHER:		The second secon		

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

THIS PAGE BLANK (USPTO)

THIS PAGE BLANK (USPTO)